

T: +1 (604) 514-3322 F: +1 (604) 514-3323

E: info.vancouver@element.com

W: www.element.com

**Report Transmission Cover Page** 

Bill To: Aaron Service

4703 Marine Avenue Powell River, BC, Canada

V8A 2L2

Attn: Coranne Anderson

Sampled By:

P.O.:

Project ID: Savary Shores Project Name:

Improvement district Well #1

Project Location: LSD: Savary Island 362504

Proj. Acct. code:

Lot ID: 1486080

Control Number:

Date Received: Apr 15, 2021 Date Reported: Apr 21, 2021 Report Number: 2613299

Company: Customer

Contact	Company	Address										
Accounts Payable	Aaron Service	4703 Marine Avenue										
		Powell River, BC V8A 2L2										
		Phone: (604) 485-5611 Fax: (604) 485-6858										
		Email: sales@aaronservice.com										
Delivery	<u>Format</u>	<u>Deliverables</u>										
Email - Single Report	PDF	COR										
Email - Single Report	PDF	Invoice										
Email - Single Report	PDF	Test Report										
Coranne Anderson	Aaron Service	4703 Marine Avenue										
		Powell River, BC V8A 2L2										
		Phone: (604) 485-5611 Fax: (604) 485-6858										
		Email: coranne@aaronservice.com										
Delivery	<u>Format</u>	<u>Deliverables</u>										
Email - Merge Reports	PDF	COA										
Email - Merge Reports	PDF	COC / Test Report										
Email - Merge Reports	PDF	COR										
Email - Merge Reports	PDF	Invoice										
Ryan Anderson	Aaron Service	4703 Marine Avenue										
		Powell River, BC V8A 2L2										
		Phone: (604) 485-5611 Fax: (604) 485-6858										
		Email: ryan@aaronservice.com,ryan.										
Delivery	<u>Format</u>	<u>Deliverables</u>										
Email - Merge Reports	PDF	COC / Test Report										
Trevor Anderson	Aaron Service	4703 Marine Avenue										
		Powell River, BC V8A 2L2										
		Phone: (604) 485-5611 Fax: (604) 485-6858										
		Email: trevor@aaronservice.com										
Delivery	<u>Format</u>	<u>Deliverables</u>										
Email - Merge Reports	PDF	Test Report										

# **Notes To Clients:**

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



T: +1 (604) 514-3322 F: +1 (604) 514-3323

E: info.vancouver@element.com W: www.element.com

**Analytical Report** 

Bill To: Aaron Service

4703 Marine Avenue

Powell River, BC, Canada

V8A 2L2

Attn: Coranne Anderson

Sampled By:

Company: Customer

Project ID: Savary Shores

Project Name: Improvement district

Project Location: Well # 1

LSD: Savary Island P.O.: 362504

Proj. Acct. code:

Lot ID: 1486080

Control Number:

Date Received: Apr 15, 2021
Date Reported: Apr 21, 2021
Report Number: 2613299

•

Reference Number Sample Date Sample Time 1486080-1 April 14, 2021 10:25

on

Sample Location Sample Description

Sample Matrix

Well # 1 / 8.8 °C Drinking Water

				Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Inorganic Nonmetallic I	Parameters					
Tannin & Lignin	as Tannic Acid	mg/L	0.1	0.1		
Metals Extractable						
Aluminum	Extractable	mg/L	<0.001	0.001	0.1	Below OG
Antimony	Extractable	mg/L	< 0.00002	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0001	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0072	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.016	0.002	5	Below MAC
Cadmium	Extractable	mg/L	< 0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00020	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	< 0.0005	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00006	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	< 0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.12	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.00020	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0012	0.00005		
Zinc	Extractable	mg/L	0.0021	0.0005	5.0	Below AO
Microbiological Analysi	is	-				
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Physical and Aggregate	e Properties					
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1	Below OG
Routine Water						
pH - Holding Time			Exceeded			
рН	at 25 °C		7.04	0.01	7.0-10.5	Within Range
Electrical Conductivity		μS/cm at 25 °C	220	1		
Calcium	Extractable	mg/L	13	0.01		
Iron	Extractable	mg/L	0.006	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	5.2	0.02		
Manganese	Extractable	mg/L	0.001	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	1.8	0.04		
Silicon	Extractable	mg/L	12	0.005		
Sodium	Extractable	mg/L	17	0.1	200	Below AO
T-Alkalinity	as CaCO3	mg/L	44	5		
Chloride	Dissolved	mg/L	29.0	0.05	250	Below AO
Fluoride	Dissolved	mg/L	<0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	3.57	0.01	10	Below MAC



T: +1 (604) 514-3322 F: +1 (604) 514-3323

E: info.vancouver@element.com

W: www.element.com

Control Number:

**Analytical Report** 

Bill To: Aaron Service

4703 Marine Avenue

Powell River, BC, Canada

V8A 2L2

Attn: Coranne Anderson

Sampled By:

Company: Customer Project ID: Project Name: Savary Shores

Improvement district

Project Location: Well #1 Savary Island

362504 P.O.: Proj. Acct. code:

Date Received: Apr 15, 2021 Date Reported: Apr 21, 2021 Report Number: 2613299

Lot ID: 1486080

Reference Number

LSD:

1486080-1 April 14, 2021 10:25

Sample Time **Sample Location** 

Sample Date

**Sample Description** 

Sample Matrix

Well # 1 / 8.8 °C

**Drinking Water** 

				Nominal Detection	Guideline	Guideline		
Analyte		Units Result		Limit	Limit	Comments		
Routine Water - Continu	ed							
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC		
Sulfate (SO4)	Dissolved	mg/L	4.9	0.1	500	Below AO		
Hardness	as CaCO3 (extractable)	mg/L	55	1				
Total Dissolved Solids	Extractable	mg/L	147	1	500	Below AO		

Approved by:

Max Hewitt

**Operations Manager** 



T: +1 (604) 514-3322 F: +1 (604) 514-3323

E: info.vancouver@element.com

W: www.element.com

# **Methodology and Notes**

Bill To: Aaron Service

4703 Marine Avenue

Powell River, BC, Canada

V8A 2L2

Attn: Coranne Anderson

Sampled By:

Company: Customer

Project ID: Savary Shores Project Name:

Improvement district

Project Location: Well #1 LSD: Savary Island

P.O.: 362504

Proj. Acct. code:

Lot ID: 1486080

Control Number:

Date Received: Apr 15, 2021 Date Reported: Apr 21, 2021 Report Number: 2613299

#### Method of Analysis

Method Name	Name Reference Method		Date Analysis Started	Location
Alk, pH, EC, Turb in water (BC)	APHA	* Alkalinity - Titration Method, 2320 B	Apr 16, 2021	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* Conductivity, 2510 B	Apr 16, 2021	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* pH - Electrometric Method, 4500-H+ B	Apr 16, 2021	Element Vancouver
Anions by IEC in water (VAN)	APHA	* Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B	Apr 16, 2021	Element Vancouver
Metals SemiTrace (Extractable) in water (VAN)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	Apr 15, 2021	Element Vancouver
Tannin and Lignin in water (VAN)	APHA	* Colorimetric Method, 5550 B	Apr 20, 2021	Element Vancouver
Total and E-Coli - Colilert - DW (VAN)	APHA	Enzyme Substrate Test, APHA 9223 B	Apr 15, 2021	Element Vancouver
Trace Metals (extractable) in Water (VAN)	US EPA	* Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8	Apr 15, 2021	Element Vancouver
True Color in water (VAN)	APHA	<ul> <li>* Spectrophotometric - Single Wavelength Method, 2120 C</li> </ul>	Apr 16, 2021	Element Vancouver
Turbidity - Water (VAN)	APHA	* Turbidity - Nephelometric Method, 2130 B	Apr 16, 2021	Element Vancouver

<sup>\*</sup> Reference Method Modified

## References

**APHA** Standard Methods for the Examination of Water and Wastewater

**US EPA** US Environmental Protection Agency Test Methods

## Guidelines

Guideline Description Health Canada GCDWQ

Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020 Guideline Source

Guideline Comments MAC = Maximum Acceptable Concentration

AO = Aesthetic Objective

OG = Operational Guideline for Water Treatment Plants

(does not apply to private groundwater wells).

Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

	Testing,	Invoice To:		Report To:									Report		Regulate	The same of the sa	
EXOVA	calibrating.	Company Aaron Service			Company Aaron Service									Results F		Requirem	nent
	advising.	Address 4703 Marine Avenue					Marine Avenue							E-Mail	Х	HCDWQG	
www.exova.com Project Inforn	nation	Powell River, I			1					3A 2L2				Mail		Ab Tier 1	
		Attention Coranne Ande			Attentio	on Corar	ne /	Ande	rson					Online		SPIGEC	
	Savary Shores				Phone	604-4								Fax		BCCSR	
Project Name	Improvement District	Cell			Cell									PDF		Other (list be	elow)
Project Location	1#1156	Fax			Fax									Excel			
	Savary Island 362504	E-mail coranne@aard	onservice.co	om	E-mail	1 coran	ne@	)aaro	nser	vice.co	m			QA/QC			
PO/AFE#	267304	Agreement ID 66993		E-mail	2 trevor	r@aaronservice.com							Sample Custody				
Proj. Acct. Code		Copy of Report				Invoice								(k	oleas	se print)	
Quote #	A CONTRACTOR OF COLUMN	RUSH Priority	<b>经验的</b>		335.60	170		147			100	定		Sampled by	<b>/</b> :		
	contact lab for turnaround a	ad pricing) When "AS	AP" is requested,	tum around will def	ault to a 1	00% RUSH			3		S S	7					
	working days (100% surcharg	priority, w	th pricing and tur	n around time to ma	atch. Plea	se contact			280	410	ංඊ	PC)		Company:	200	Stomer	
	orking days (50% surcharge		or to submitting h USH, please ind	USH samples. If no icate in the special i	instruction	s.	စ္	1.5		120	tal	노					
Orgent 2-3 w	orking dejo (or recorders)		Total Marketine	Service Williams Comments								I authorize Exova to proceed with the work indicated on this form:			e		
Date Requ	ired	Signature		V . C . C . C . C . C . C . C . C . C .				Service I			)ea	pnl		Date:		Initial:	
Specia	I Instructions/Comments (pleas	e include contact information	including ph. 7	Fit different from	above).		of C		55.7 57.7	12.47	e l	(includes			-	n for Lab u	ise_
			11100 7	VIDO T	Number o DW20 T/L TOC					2	N (N		Date/Time stamp:				
WATITES	T Can drink wo	ater quidelines	099,1	$M\omega$ , $1/L$				W99	TIL	TOC	196	M99					
							Z	>   L		1.00	79		3.1	Indicate	in the	space allotted ar	nv
Site LD. Sample description start end				Date/Time	Matrix			Enter tests (√ relevant sam						deficiencies by the corresponding		-	
Site I.D.	Sample di	escription	in cm m	sampled		method	$\downarrow$		(v rei	evant sai	mpies b	elow)			nui	mber.	
1 Welf	:1			Apr 14/21				VA.		(湖)	(数) (3)(1)	19.0				cate any sample	
2				10:25AM					13.		700 C	8,			were r	not packaged we	;n
3								173			497					cate any sample	
4								N. Co.		14	23	1.	3		receivi	ed in Exova sup	piles
5									E.				100			cate any sample	
6									1	100		81	9			not clearly labele cate any sample	
7								77		100	EAT	81	5			ed within the req	
8											1.4.		y.		hold ti	me or temp.	
9								100	20	12	行のない	100				cate any missing	g or
10									1375 ·	138	atva		ić.		extra s	samples	
11								NO.			10		8	73		cate any sample	s that
12											4.	1				eceived broken	
13.				ì					Hind.	1	387					cate any sample sufficient volum	
14								15 th		in.						ceived	
15								基金	Z.X	38		100				cate any sample ed in an inapprop	
THE PERSON	Environmental Sample	Information Sheet		Ir "										(Ex)	contair	ner	
Note: Prope	er completion of this form is req	uired in order to proceed with	analysis	Lot: 1	4860	80 COC	0					d size		1	100	EIVED	
Please indicate any potentially hazardous samples				The second secon	Temp. received 8 8 Received by:					ved:	Delivery Method.						
0 1 1 4										8			Waybill:	(ra)	700		
Page	of	Control #		L 11111							Rec	eived l	by:	K	0	2000	W