

T: +1 (604) 514-3322 F: +1 (604) 514-3323

E: info.vancouver@element.com

W: www.element.com

**Report Transmission Cover Page** 

Bill To: Aaron Service

4703 Marine Avenue Powell River, BC, Canada

V8A 2L2

Attn: Coranne Anderson

Sampled By: Courtney Robertson

Company: Customer

Project ID: Shores

Savary Shores

2785 Vancouver Blvd

LSD: Powell river P.O.: 355934

Proj. Acct. code:

Project Name:

Project Location:

Lot ID: 1454067

Control Number:

Date Received: Oct 21, 2020
Date Reported: Oct 26, 2020

Report Number: 2560955

Contact	Company	Address							
Accounts Payable	Aaron Service	4703 Marine Avenue							
		Powell River, BC V8A 2L2							
		Phone: (604) 485-5611 Fax: (604) 485-6858							
		Email: sales@aaronservice.com							
Delivery	<u>Format</u>	<u>Deliverables</u>							
Email - Single Report	PDF	COR							
Email - Single Report	PDF	Invoice							
Email - Single Report	PDF	Test Report							
Coranne Anderson	Aaron Service	4703 Marine Avenue							
		Powell River, BC V8A 2L2							
		Phone: (604) 485-5611 Fax: (604) 485-6858							
		Email: coranne@aaronservice.com							
<u>Delivery</u>	<u>Format</u>	<u>Deliverables</u>							
Email - Merge Reports	PDF	COA							
Email - Merge Reports	PDF	COC / Test Report							
Email - Merge Reports	PDF	COR							
Email - Merge Reports	PDF	Invoice							
Ryan Anderson	Aaron Service	4703 Marine Avenue							
		Powell River, BC V8A 2L2							
		Phone: (604) 485-5611 Fax: (604) 485-6858							
		Email: ryan@aaronservice.com,ryan.							
Delivery	<u>Format</u>	<u>Deliverables</u>							
Email - Merge Reports	PDF	COC / Test Report							
Trevor Anderson	Aaron Service	4703 Marine Avenue							
		Powell River, BC V8A 2L2							
		Phone: (604) 485-5611 Fax: (604) 485-6858							
		Email: trevor@aaronservice.com							
Delivery	<u>Format</u>	<u>Deliverables</u>							
Email - Merge Reports	PDF	Test Report							

#### **Notes To Clients:**

- Oct 23, 2020 Sample 1454067-1; 7254324: Reduction of analytical volume was necessary for chloride analysis to bring results within the analytical range for sample 1454067-1. Detection limits are adjusted accordingly.
- Oct 26, 2020 The analysis of water sample 1454067-1 is below Maximum Acceptable Concentrations for the chemical and bacteriological health related guidelines specified by the September 2020 Guidelines for Canadian Drinking Water Quality for the parameters tested.

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential.

If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited.

If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



T: +1 (604) 514-3322 F: +1 (604) 514-3323

E: info.vancouver@element.com W: www.element.com

**Analytical Report** 

Bill To: Aaron Service Project ID: Shores Lot ID: 1454067

4703 Marine Avenue Project Name: Savary Shores Control Number:

Powell River, BC, Canada Project Location: 2785 Vancouver Blvd Date Received: Oct 21, 2020

 V8A 2L2
 LSD:
 Powell river
 Date Reported:
 Oct 26, 2020

 Attn:
 Coranne Anderson
 P.O.:
 355934
 Report Number:
 2560955

Sampled By: Courtney Robertson Proj. Acct. code:

Company: Customer

Reference Number 1454067-1 Sample Date October 20, 2020

Sample Time 09:35 Sample Location

Sample Description 2785 Vancouver Blvd. Well # 2 / 2.8 °C

Sample Matrix Drinking Water

		Sample Matrix	Drinking Wate	ı			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments	
Inorganic Nonmetallic I	Parameters						
Tannin & Lignin	as Tannic Acid	mg/L	0.3	0.1			
Metals Extractable		J					
Aluminum	Extractable	mg/L	<0.001	0.001	0.1	Below OG	
Antimony	Extractable	mg/L	< 0.00002	0.00002	0.006	Below MAC	
Arsenic	Extractable	mg/L	0.0001	0.0001	0.010	Below MAC	
Barium	Extractable	mg/L	0.016	0.0001	2.0	Below MAC	
Boron	Extractable	mg/L	0.017	0.002	5	Below MAC	
Cadmium	Extractable	mg/L	< 0.00001	0.00001	0.007	Below MAC	
Chromium	Extractable	mg/L	0.00014	0.00005	0.05	Below MAC	
Copper	Extractable	mg/L	0.0006	0.0005	1 AO; 2 MAC	Below AO	
Lead	Extractable	mg/L	0.00005	0.00001	0.005	Below MAC	
Selenium	Extractable	mg/L	< 0.0002	0.0002	0.05	Below MAC	
Strontium	Extractable	mg/L	0.14	0.0001	7.0	Below MAC	
Uranium	Extractable	mg/L	0.00021	0.00001	0.02	Below MAC	
Vanadium	Extractable	mg/L	0.0013	0.00005			
Zinc	Extractable	mg/L	0.0070	0.0005	5.0	Below AO	
Microbiological Analys	is						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC	
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC	
Physical and Aggregate	e Properties						
Colour	True	Colour units	<5	5			
Turbidity		NTU	0.30	0.1	0.1	Above OG	
Routine Water							
pH - Holding Time			Exceeded				
рН	at 25 °C		7.21	0.01	7.0-10.5	Within Range	
Electrical Conductivity		μS/cm at 25 °C	304	1			
Calcium	Extractable	mg/L	15	0.01			
Iron	Extractable	mg/L	0.022	0.004	0.3	Below AO	
Magnesium	Extractable	mg/L	6.2	0.02			
Manganese	Extractable	mg/L	<0.001	0.001	0.02 AO; 0.12 MAC	Below AO	
Potassium	Extractable	mg/L	1.8	0.04			
Silicon	Extractable	mg/L	12	0.005			
Sodium	Extractable	mg/L	28	0.1	200	Below AO	
T-Alkalinity	as CaCO3	mg/L	45	5			
Chloride	Dissolved	mg/L	53.2	0.05	250	Below AO	
Fluoride	Dissolved	mg/L	<0.01	0.01	1.5	Below MAC	
Nitrate - N	Dissolved	mg/L	2.39	0.01	10	Below MAC	

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



T: +1 (604) 514-3322 F: +1 (604) 514-3323

E: info.vancouver@element.com

W: www.element.com

**Analytical Report** 

Bill To: Aaron Service

4703 Marine Avenue

Powell River, BC, Canada

V8A 2L2

Attn: Coranne Anderson

Sampled By: Courtney Robertson

Company: Customer Project ID:

Project Name:

LSD:

P.O.:

Project Location:

Proj. Acct. code:

Shores

Savary Shores

2785 Vancouver Blvd

Powell river

355934

Control Number:

Date Received: Oct 21, 2020 Date Reported: Oct 26, 2020

Lot ID: 1454067

Report Number: 2560955

Reference Number

1454067-1 October 20, 2020

Sample Date Sample Time

09:35

**Sample Location Sample Description** 

Sample Matrix

2785 Vancouver Blvd. Well # 2 / 2.8 °C

**Drinking Water** 

		• • • • • • • • • • • • • • • • • • • •	=g			
				Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Routine Water - Continu	ed					
Nitrite - N	Dissolved	mg/L	< 0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	9.0	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	63	1		
Total Dissolved Solids	Extractable	mg/L	184	1	500	Below AO

Approved by:

Carol Nam, Dipl. T. **Quality Officer** 



T: +1 (604) 514-3322 F: +1 (604) 514-3323

E: info.vancouver@element.com

W: www.element.com

## **Methodology and Notes**

Bill To: Aaron Service

4703 Marine Avenue

Powell River, BC, Canada

V8A 2L2

Attn: Coranne Anderson

Sampled By: Courtney Robertson

Company: Customer

Project ID: Shores

Savary Shores

2785 Vancouver Blvd

Powell river 355934

Proj. Acct. code:

Project Name:

LSD:

P.O.:

Project Location:

Lot ID: 1454067

Control Number:

Date Received: Oct 21, 2020
Date Reported: Oct 26, 2020
Report Number: 2560955

**Method of Analysis** 

Welliou of Allalysis						
Method Name	Reference	Method	Date Analysis Started	Location		
Alk, pH, EC, Turb in water (BC)	APHA	* Alkalinity - Titration Method, 2320 B	Oct 22, 2020	Element Vancouver		
Alk, pH, EC, Turb in water (BC)	APHA	* Conductivity, 2510 B	Oct 22, 2020	Element Vancouver		
Alk, pH, EC, Turb in water (BC)	APHA	* pH - Electrometric Method, 4500-H+ B	Oct 22, 2020	Element Vancouver		
Anions by IEC in water (VAN)	APHA	* Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B	Oct 22, 2020	Element Vancouver		
Metals SemiTrace (Extractable) in water (VAN)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	Oct 22, 2020	Element Vancouver		
Tannin and Lignin in water (VAN)	APHA	* Colorimetric Method, 5550 B	Oct 22, 2020	Element Vancouver		
Total and E-Coli - Colilert - DW (VAN)	APHA	Enzyme Substrate Test, APHA 9223 B	Oct 21, 2020	Element Vancouver		
Trace Metals (extractable) in Water (VAN)	US EPA	* Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8	Oct 22, 2020	Element Vancouver		
True Color in water (VAN)	APHA	<ul> <li>* Spectrophotometric - Single Wavelength Method, 2120 C</li> </ul>	Oct 23, 2020	Element Vancouver		
Turbidity - Water (VAN)	APHA	* Turbidity - Nephelometric Method, 2130 B	Oct 22, 2020	Element Vancouver		

<sup>\*</sup> Reference Method Modified

### References

APHA Standard Methods for the Examination of Water and Wastewater

US EPA US Environmental Protection Agency Test Methods

#### Guidelines

Guideline Description Health Canada GCDWQ

Guideline Source Guidelines for Canadian Drinking Water Quality, Health Canada, June 2019

Guideline Comments MAC = Maximum Acceptable Concentration

AO = Aesthetic Objective

OG = Operational Guideline for Water Treatment Plants

(does not apply to private groundwater wells).

Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

# Comments:

• Oct 23, 2020 - Sample 1454067-1; 7254324: Reduction of analytical volume was necessary for chloride analysis to bring results within the analytical range for sample 1454067-1. Detection limits are adjusted accordingly.

 Oct 26, 2020 - The analysis of water sample 1454067-1 is below Maximum Acceptable Concentrations for the chemical and bacteriological health related guidelines specified by the September 2020 Guidelines for Canadian Drinking Water Quality for the parameters tested.

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

	Testing,	Invoice To:			Repo	rt To:								Rep	ort	Regulatory		
Exova	calibrating, advising.	Company Aaron S	Service		Compa	any Aaror	ı Se	ervio	ce					Resu	lts	Requiremen		
www.exova.com	an and advising.	Address 4703 M	arine Avenue		-8	s 4703				enue				E-Mail	X	HCDWQG		
Project Inform	nation	Powell I	River, BC V8A 2L	2	1	Powe	II R	ive	, BC	V8A	12L2			Mail		Ab Tier 1		
Project ID	SHORES	Attention Coranne	e Anderson		Attenti	on Corar	nne	An	ders	on				Online	T	SPIGEC		
Project Name	SAVARY SHORES	Phone 604-485	5-5611		Phone	604-4	185-	561	1					Fax		BCCSR		
Project Location	2785 Varcaiver Bly	Cell			Cell									PDF	<u> </u>	Other (list below)		
Legal Location	Powell River	Fax			Fax									Excel	<u> </u>			
PO/AFE#	355 934	E-mail <u>coranne</u>	e@aaronservice.c	om	E-mail	1 coran	ne(	<u> </u>	ron	servi	ce.co	<u>m</u>		QA/QC				
Proj. Acct. Code		Agreement ID 6	6993		E-mail	2 trevoi	(@a	arc	nse	vice.	.com					: Custody		
Quote#		Copy of Report			Сору с	f Invoice			MANAGAMATAKA					NAME OF TAXABLE PARTY.	The second second	se print)		
		RUSH Prior								\$ V.	136	(I)oo	100	Sampled	by: Cau	rtney		
Emergency	(contact lab for turnaround a	nd pricing) 🐵 .	When "ASAP" is reque RUSH priority, with priori								1章章 光学	ပြ				abertson		
Priority 1-2	working days (100% surcharg	A CONTRACTOR OF THE PROPERTY O	ontact the lab prior to sul	and the state of t	13 CONTENTS OF THE	62.4.						්ර		Company:	<u> </u>	ner		
Urgent 2-3 v	vorking days (50% surcharge		require RUSH, pleas	e indicate in the spec	cial instru	ctions.	ઈ			Å.	Ň,	亞	生  ※					
Date Requ	uired	Signature	9				aine					7	<u>  e</u>	authorize (		proceed with the		
	al Instructions/Comments (plea			# if different from	above).		Containers				\$ .	(repeat total	(includes	Date:		Initial:		
				<u>,,</u>		<u> </u>	ğ					<u>e</u>	القاقا	Thiss	ectio	n for Lab use		
1 \ \~ Tess	T Cdn. Drink. W	alev Guidelir	as W99, D	WZO T/L	_		ğ Ğ	6	DW20	_	. [8]	M99R		Date/Time	stan	ECEIVED		
WHI.YES	1 Carristino		•	,			Number	66/M	3	≤ا≥		Š	M99S	2128	7 4	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		
			Depth	Data (Time	ta tandada <u>a an</u> andra a a anandra a an	Camplina	Î	ř	<u>. — , </u>		100			Indicate	e in the	Space allotted any		
Site I.D.	Sample o	description	start end	Date/Time N	i Matrix L	Sampling method		Enter tests:							deficiencies by the corresponding			
			in cm m				$\downarrow$	ļ	ì		1 - 3 - 3	1 320	1 888-1		1	mber.		
127851	Vancouver Bly.			Oct 20/20		ļ <u>.</u>		ļ		14.5 14.0	1000				_	icate any samples tha not packaged well		
2				0935AW	<b></b>	ļ	_	ļ	$\vdash$						- IVCIC	not packaged well		
3	1,	<del>\</del>			<u> </u>	<u></u>	_	<del> </del>			3.0	194	3 3360 3 33600		_1	icate any samples no red in Exova supplies		
4	11112	<del>†</del> ?			<b>├</b>	<u> </u>		<b>├</b> ─		Resid	48.4	- A:			recen	ed in Exova supplies		
5	TW Jan	··			<u> </u>	<b> </b>	<u> </u>	<del>  -</del>		12.	2 (1) 2 (1) (1)	25.75	(\$\)\)		<b>⊣</b>	icate any samples tha not clearly labeled		
6					<del> </del>	<b> </b>					Market Vacual				<u> </u>	cate any samples not		
7					<u> </u>			-	ŀ	Tribe	. 1000	20 V	1 7 7 7 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u> </u>	received within the re hold time or temp.			
8					ļ						AW	2 (1) 3 m	11,300					
9		<u> </u>			ļ	ļ		<u> </u>	-	7551 	25.25	2001 Ag (1000)	4 TS		5. Indicate any missin			
10		<del></del>		<del></del>	<u> </u>			<u> </u>				i i	7.00		extra samples			
11					ļ		_	ļ. 		rata.	(\$150 #8403		94788 94.53		<ol> <li>Indicate any sample were received broken</li> </ol>			
12						} 		<u> </u>		e e e e e e e e e e e e e e e e e e e	(654)	16.1			1	cate any samples		
13								<u> </u>	$\vdash$	- SS	1000	(g) (A).	X   X   X   X   X   X   X   X   X   X			sufficient volume		
14				_	ļ	<del></del>				A	30.2	120	<b>第</b> 第			ot received cate any samples		
15			<b> </b>	Indi	L	l	<u></u>	<u>l</u>	L 1:		18	(A)	pping: C	OD Y/N	receiv	ed in an inappropriate		
	Environmental Sampl			and a second	4 4 = 4	1007 C	)C								contai	ner		
	per completion of this form is rec			LOt:	1454	1067 <sup>CC</sup>							nd size of p. received					
Ple	ase indicate any potent	lally hazardous	samples										2 8°C	Delivery ivi	etnod:	Career		
Page	of	Control#										Da.	eived by:	Waybill:				
										i		<b>=</b> ₩ (-) (	-07-51 5115	5_				